

Lasernut U4 2.2" ,SMART ESC: 1/10 4WD RTR

LOS03028 T1 / T2

LOS03028 T1

KEY SELLING POINTS

- TEN 4wd Platform: Back to the original 3mm 6061-T6 aluminum chassis. (longest TENACITY yet!)
- Lasernut Race Inspired Scale Body & Cage: A Lasernut Licensed race inspired scale U4RC body/roll cage
- Spektrum Smart Technology: Spektrum Smart 130A Brushless ESC and Spektrum Firma 4-Pole 2150 KV 550 Motor with speeds of up to 50+ mph on a 4s LiPo.
- Spektrum DX3 Transmitter: 2.4GHz frequency-agile technology with Smart Battery voltage indicator.
- Aluminum Shock Towers: 4mm (front) 5mm (rear) 6061-T6 aluminum shock towers for extra durability
- 12mm Aluminum Shocks: Adjustable aluminum threaded shock bodies for extra durability
- Adjustable Sway Bars: The included sway bars help the user push the vehicle to the limits
- LED Light Bar: Top LED bar and amber LED side lights.
- Officially Licensed Tires: BF Goodrich MT tire
- Incredible Scale Details: Roll cage, driver figures, LED lights and more!

**DEALER BENEFITS**

- Officially Licensed
- Spektrum Smart Technology
- Full line of option parts
- Excellent margin!

COMPLETION ITEMS

40+ mph Setup

SPMXPS3	Smart Powerstage Bundle 3S
SPMXCA508	Adapter: IC5 Battery / IC3 Device



50+ mph Setup

SPMX50004S100H5	14.8V 5000mAh 4S 100C Smart Hardcase LiPo Battery: IC5	LOS03028 T2
SPMXC1070	S150 AC/DC Smart Charger, 1x50W	
SPMXCA508	Adapter: IC5 Battery / IC3 Device	

SPECIFICATIONS

Length: 24.3 in (617.2mm)
 Width: 13.25 in (336.5mm)
 Wheel Base: 14.75 in (374.6mm)
 Height: 8 in (203.2mm)
 Weight: Varies w/batteries
 Chassis: 3mm, 6061 T-6 Aluminum
 Suspension: Independent
 Shock: 12mm Bore, Oil Filled Coil-Over Spring
 Drivetrain: 4WD
 Differential: Bevel Gear



Top Replacement Parts

- LOS234016 Front Arm Set: TENACITY ALL
- LOS232029 DiffGearSet w/Hardware:TENACITY ALL
- LOS234018 FR Spndl&Carrier St:TENACITY ALL
- LOS232025 "40T SpurGear,Mod 1:TENACITY ALL"
- LOS232028 R Ring&PinGearSet:TENACITY ALL



Top Option Parts

LOS331012	Mach Alum Motor Mount: Tenacity	LOSA3576	"1.0 Module Pitch Pinion,16T:8E,SCTE"
LOS334011	Aluminum Rear Hubs (2): Tenacity	LOSA3578	"1.0 Module Pitch Pinion,18T:8E,SCTE"
LOS334012	Aluminum Ft Spindle (2):Tenacity	LOSB3493	Alum Clamping Whl Hex: TEN-SCTE
LOS334013	Alum Spind Carrier (2): Tenacity	SPMSS6230	S6230 U-T / M-S Digital WP Servo
LOS43011	"Dsrt Claws Tires w/Foam,Soft (2)"	TLR336000	"4mmAlumSerratedLockNuts,Black(6"
LOSA3571	"1.0 Module Pitch Pinion,11T:8E,SCTE"	TLR336001	"4mmAlumSerratedLockNuts,Blue(6)"
LOSA3573	"1.0 Module Pitch Pinion,13T:8E,SCTE"	TLR5062	"Bleeder Shock Caps, Alum (2):TEN"

Extended Chassis

Product Length: 24.3 in (617.2mm) / Wheel Base: 14.75 in (374.6mm)



Product Length: 21.1" (535mm) / Wheel Base: 13.1" (332.7mm)

The Lasernut Story

This #48 Lasernut Racing U4 racer is one of the first all-independent suspension four-wheel drive rock racers in the world. Named after Lasernut, the leader in laser cutting, bending, and welding for the off-road industry, champion driver and Lasernut founder, Cody Waggoner, has taken his rock championship credentials to the infamous Hammers Trails where he and the "spider-like" mobility of the #48 have made the Lasernut team one of the best when the trail gets tough. Few can perform like Lasernut in the shop or dominate in the rocks like the Lasernut Racing U4 #48.

Cody Waggoner
President, Lasernut

